

## Certificate of Conformance

Issued To: RIO VINYL INTERAMERICANA,S.A

Our Reference No.: GZHT9127273302

Certificate Issue Date: Jul 19, 2024

Buyer's Name: --  
Ref. No.: PREDATOR ICFP  
Brand: --  
Manufacturer: --

We hereby declare that the product category (group) above has been tested by Intertek and meets the requirements of ASTM Specification ASTM F2413-18 as tested in accordance with ASTM Test Methods F2412-18a and list the safety hazard(s) tested below.

Electric Hazard Resistant Footwear (EH)

The test results are given in our report  
No.: GZHT91272733 Dated: Jul 19, 2024

Note :

This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.

Authorized By:  
For Intertek Testing Services Shenzhen Ltd.  
Guangzhou Branch



Guiliang Dong  
Senior Lab Manager



Total Quality. Assured.  
TEST REPORT



中国认可  
国际互认  
检测  
TESTING  
CNAS L0220

Number: GZHT91272733

Date: Jul 19, 2024

Applicant: RIO VINYL INTERAMERICANA,S.A  
KM 6.5 RUTA AL ATLANTICO ZONA 18,  
GUATEMALA

Attn: ING. ESTUARDO CABALLEROS

Sample Description:

Two (2) groups of submitted samples said to be:  
(A) Four (4) pairs of Men's pull on safety boots in Black/Yellow  
(B) One and a half (1.5) pairs of Steel plates  
Standard : ASTM F2413-18  
Size : US 9  
Buyer's Name : --  
Ref. No : PREDATOR ICFP  
Brand : --  
Manufacturer : --  
Colour : Black-Yellow/Negro-Amarillo  
Vendor : RIO VINYL INTERAMERICANA SA  
Supplier : --  
P.O. No. : --  
Ref. : GTOT24001291  
Country Of Origin : Guatemala  
Goods Exported To : Guatemala  
Date Received/Date Test Started : Jul. 08,2024  
Date Final Information Confirmed: --

Test Result Please Refer To Attached Page(S).

Should you have any query on this report, you may contact at [gzfootwear@intertek.com](mailto:gzfootwear@intertek.com)

Authorized By:  
For Intertek Testing Services Shenzhen Ltd.  
Guangzhou Branch

Guiliang Dong  
Senior Lab Manager



EC / kayyu

**Intertek Testing Services Shenzhen Ltd. Guangzhou Branch**  
深圳天祥质量技术服务有限公司广州分公司  
Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou 510730  
广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房  
Tel: +86 20 2820 9114 Postcode: 510730







End Of Report

*This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. No copy of the test report(except for full text copy) shall be made without the written approval by Intertek.*

**Remark:**

1. As Requested by the Applicant, For Details Refer to Attached Page (5).
2. All the tested item are tested under the standard condition.
3. The report is valid with commission test only for the test samples in the case of delivering samples by clients.

## Certificate of Conformance

Issued To: RIO VINYL INTERAMERICANA,S.A

Our Reference No.: GZHT9127273402

Certificate Issue Date: Jul 19, 2024

Buyer's Name: --  
Ref. No.: PREDATOR ICFP  
Brand: --  
Manufacturer: --

We hereby declare that the product category (group) above has been tested by Intertek and meets the requirements of ASTM Specification ASTM F2413-18 as tested in accordance with ASTM Test Methods F2412-18a and list the safety hazard(s) tested below.

Puncture Resistant Footwear (PR)

The test results are given in our report  
No.: GZHT91272734 Dated: Jul 19, 2024

Note :

This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.

Authorized By:  
For Intertek Testing Services Shenzhen Ltd.  
Guangzhou Branch



Guiliang Dong  
Senior Lab Manager



Total Quality. Assured.  
TEST REPORT



中国认可  
国际互认  
检测  
TESTING  
CNAS L0220

Number: GZHT91272734

Date: Jul 19, 2024

Applicant: RIO VINYL INTERAMERICANA,S.A  
KM 6.5 RUTA AL ATLANTICO ZONA 18,  
GUATEMALA

Attn: ING. ESTUARDO CABALLEROS

Sample Description:

Two (2) groups of submitted samples said to be:  
(A) Four (4) pairs of Men's pull on safety boots in Black/Yellow  
(B) One and a half (1.5) pairs of Steel plates  
Standard : ASTM F2413-18  
Size : US 9  
Buyer's Name : --  
Ref. No : PREDATOR ICFP  
Brand : --  
Manufacturer : --  
Colour : Black-Yellow/Negro-Amarillo  
Vendor : RIO VINYL INTERAMERICANA SA  
Supplier : --  
P.O. No. : --  
Ref. : GTOT24001292  
Country Of Origin : Guatemala  
Goods Exported To : Guatemala  
Date Received/Date Test Started : Jul. 08,2024  
Date Final Information Confirmed: --

Test Result Please Refer To Attached Page(S).

Should you have any query on this report, you may contact at [gzfootwear@intertek.com](mailto:gzfootwear@intertek.com)

Authorized By:  
For Intertek Testing Services Shenzhen Ltd.  
Guangzhou Branch

Guiliang Dong  
Senior Lab Manager



/ kayyu

**Intertek Testing Services Shenzhen Ltd. Guangzhou Branch**  
深圳天祥质量技术服务有限公司广州分公司  
Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou 510730  
广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房  
Tel: +86 20 2820 9114 Postcode: 510730



www.intertek.com

检验检测专用章

(6)



Puncture Resistance Footwear (PR) (ASTM F2412-18a, 11, Conditioned At 22°C And 50% RH For 24 h And Testing Performed At The Same Conditions.)

| (B)   | Perforation Point   |   |   | ASTM F2413 Requirement | Pass/Fail |
|-------|---|---|---|------------------------|-----------|
|       | Test Point 1  | Test Point 2  | Test Point 3  |                        |           |
| Left  | The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot After An Applied Force Of 1200 N. | The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot After An Applied Force Of 1200 N. | The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot After An Applied Force Of 1200 N. | Min. 1 200 N (*)       | Pass      |
| Right | The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot After An Applied Force Of 1200 N. | The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot After An Applied Force Of 1200 N. | The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot After An Applied Force Of 1200 N. | Min. 1 200 N (*)       | Pass      |
| Left  | The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot After An Applied Force Of 1200 N. | The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot After An Applied Force Of 1200 N. | The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot After An Applied Force Of 1200 N. | Min. 1 200 N (*)       | Pass      |

Remark: \* = The Test Pin Does Not Visually Penetrate Beyond The Face Of The Material Nearest The Foot After An Applied Force Of 1200 N.



End Of Report

*This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. No copy of the test report(except for full text copy) shall be made without the written approval by Intertek.*

**Remark:**

1. As Requested by the Applicant, For Details Refer to Attached Page (S).
2. All the tested item are tested under the standard condition.
3. The report is valid with commission test only for the test samples in the case of delivering samples by clients.



Total Quality. Assured.  
TEST REPORT



中国认可  
国际互认  
检测  
TESTING  
CNAS L0220

Number: GZHT91272720

Date: Jul 19, 2024

Applicant: RIO VINYL INTERAMERICANA,S.A  
KM 6.5 RUTA AL ATLANTICO ZONA 18,  
GUATEMALA

Attn: ING. ESTUARDO CABALLEROS

Sample Description:

Two (2) groups of submitted samples said to be:  
(A) Four (4) pairs of Men's pull on safety boots in Black/Yellow  
(B) One and a half (1.5) pairs of Steel plates  
Standard : ASTM F2413-18  
Size : US 9  
Buyer's Name : --  
Ref. No : PREDATOR ICFP  
Brand : --  
Manufacturer : --  
Colour : Black-Yellow/Negro-Amarillo  
Vendor : RIO VINYL INTERAMERICANA SA  
Supplier : --  
P.O. No. : --  
Ref. : GTOT24001289  
Country Of Origin : Guatemala  
Goods Exported To : Guatemala  
Date Received/Date Test Started : Jul. 08,2024  
Date Final Information Confirmed: --

Test Result Please Refer To Attached Page(S).

Should you have any query on this report, you may contact at [gzfootwear@intertek.com](mailto:gzfootwear@intertek.com)

Authorized By:  
For Intertek Testing Services Shenzhen Ltd.  
Guangzhou Branch

Guiliang Dong  
Senior Lab Manager



/ kayyu

**Intertek Testing Services Shenzhen Ltd. Guangzhou Branch**  
深圳天祥质量技术服务有限公司广州分公司  
Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou 510730  
广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房  
Tel: +86 20 2820 9114 Postcode: 510730







End Of Report

*This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. No copy of the test report(except for full text copy) shall be made without the written approval by Intertek.*

**Remark:**

1. As Requested by the Applicant, For Details Refer to Attached Page (S).
2. All the tested item are tested under the standard condition.
3. The report is valid with commission test only for the test samples in the case of delivering samples by clients.

## Certificate of Conformance

**Issued To:** RIO VINYL INTERAMERICANA,S.A

Our Reference No.: GZHT9127273202  
Certificate Issue Date: Jul 19, 2024

Buyer's Name: --  
Ref. No.: PREDATOR ICFP  
Brand: --  
Manufacturer: --

We hereby declare that the product category (group) above has been tested by Intertek and meets the requirements of ASTM Specification ASTM F2413-18 as tested in accordance with ASTM Test Methods F2412-18a and list the safety hazard(s) tested below.

Protective Toe Compression Resistance (C)

The test results are given in our report  
No.: GZHT91272732 Dated: Jul 19, 2024

Note :

This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.

Authorized By:  
For Intertek Testing Services Shenzhen Ltd.  
Guangzhou Branch



Guiliang Dong  
Senior Lab Manager



Total Quality. Assured.  
TEST REPORT



中国认可  
国际互认  
检测  
TESTING  
CNAS L0220

Number: GZHT91272732

Date: Jul 19, 2024

Applicant: RIO VINYL INTERAMERICANA,S.A  
KM 6.5 RUTA AL ATLANTICO ZONA 18,  
GUATEMALA

Attn: ING. ESTUARDO CABALLEROS

Sample Description:

Two (2) groups of submitted samples said to be:  
(A) Four (4) pairs of Men's pull on safety boots in Black/Yellow  
(B) One and a half (1.5) pairs of Steel plates  
Standard : ASTM F2413-18  
Size : US 9  
Buyer's Name : --  
Ref. No : PREDATOR ICFP  
Brand : --  
Manufacturer : --  
Colour : Black-Yellow/Negro-Amarillo  
Vendor : RIO VINYL INTERAMERICANA SA  
Supplier : --  
P.O. No. : --  
Ref. : GTOT24001290  
Country Of Origin : Guatemala  
Goods Exported To : Guatemala  
Date Received/Date Test Started : Jul. 08,2024  
Date Final Information Confirmed: --

Test Result Please Refer To Attached Page(S).

Should you have any query on this report, you may contact at [gzfootwear@intertek.com](mailto:gzfootwear@intertek.com)

Authorized By:  
For Intertek Testing Services Shenzhen Ltd.  
Guangzhou Branch

Guiliang Dong  
Senior Lab Manager



MI / kayyu

**Intertek Testing Services Shenzhen Ltd. Guangzhou Branch**  
深圳天祥质量技术服务有限公司广州分公司  
Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou 510730  
广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房  
Tel: +86 20 2820 9114 Postcode: 510730



www.intertek.com

检验检测专用章

(6)



Total Quality. Assured.

TEST REPORT

Tests Conducted (As Requested By The Applicant)



中国认可  
国际互认  
检测  
TESTING  
CNAS L0220

Number: GZHT91272732

Protective Toe Compression Resistance (C) (ASTM F2412-18a, 6, Compression Force: 11 121 N (2 500 lbf), Testing Performed At 22°C And 50% RH)

|        | (A)                       | ASTM F2413-18<br>Requirement | Pass/Fail |
|--------|---------------------------|------------------------------|-----------|
|        | Interior Height Clearance |                              |           |
| Left:  | 21.1 mm                   | ≥ 12.7 mm                    | Pass      |
| Right: | 21.3 mm                   | ≥ 12.7 mm                    | Pass      |
| Right: | 21.3 mm                   | ≥ 12.7 mm                    | Pass      |

/ kayyu

**Intertek Testing Services Shenzhen Ltd. Guangzhou Branch**  
 深圳天祥质量技术服务有限公司广州分公司  
 Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou 510730  
 广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房  
 Tel: +86 20 2820 9114 Postcode: 510730

[www.intertek.com](http://www.intertek.com)





End Of Report

*This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. No copy of the test report(except for full text copy) shall be made without the written approval by Intertek.*

**Remark:**

1. As Requested by the Applicant, For Details Refer to Attached Page (S).
2. All the tested item are tested under the standard condition.
3. The report is valid with commission test only for the test samples in the case of delivering samples by clients.

## Certificate of Conformance

Issued To: RIO VINYL INTERAMERICANA,S.A

Our Reference No.: GZHT9127272002

Certificate Issue Date: Jul 19, 2024

Buyer's Name: --  
Ref. No.: PREDATOR ICFP  
Brand: --  
Manufacturer: --

We hereby declare that the product category (group) above has been tested by Intertek and meets the requirements of ASTM Specification ASTM F2413-18 as tested in accordance with ASTM Test Methods F2412-18a and list the safety hazard(s) tested below.

Impact Resistant Footwear (I)

The test results are given in our report  
No.: GZHT91272720 Dated: Jul 19, 2024

Note :

This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.

Authorized By:  
For Intertek Testing Services Shenzhen Ltd.  
Guangzhou Branch



Guiliang Dong  
Senior Lab Manager